

L Number	Hits	Search Text	DB	Time stamp
1	1573	rappaport	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:18
2	2	performance adj metrics and performance and metrics and quality adj measur\$6 and measur\$6 and database and environment\$4 same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:20
3	2	performance adj metrics and performance and metrics and quality adj measur\$6 and measur\$6 and database and environment\$4 same database and text adj strings	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:21
4	2	performance adj metrics and performance and metrics and quality adj measur\$6 and measur\$6 and database and environment\$4 same database and text adj strings and icons	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:21
5	2	performance adj metrics and performance and metrics and quality adj measur\$6 and measur\$6 and database and environment\$4 same database and text adj strings and icons and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:22
6	2	performance adj metrics and performance and metrics and quality adj measur\$6 and measur\$6 and database and environment\$4 same database and text adj strings and icons and (visual\$8 or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:52
7	78145	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)and (visuali\$7 or display)and (predict\$5 or model\$4 or simulat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:57
8	75402	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)and (visuali\$7 or display)and (predict\$5 or model\$4 or simulat\$5)and (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:58
9	6060	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:08
10	1573	(database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:59
11	523	(database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:59
12	272	(database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 12:59

13	117	(database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)near10 (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:00
14	55	(database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)near10 (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and collect\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:00
15	11	(database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)near10 (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)same (survey or collect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:01
16	2244	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and predict\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:09
17	546	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and predict\$5 and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:09
18	158	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and predict\$5 and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:09

19	158	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and predict\$5 and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:09
20	100	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and predict\$5 and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:10

21	0	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and predict\$5 and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and n113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:10
----	---	--	---	---------------------

22	37	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and predict\$5 and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)near10 (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:10
----	----	--	---	---------------------

23	28	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and predict\$5 and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)near10 (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and collect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:10
----	----	--	---	---------------------

24	6	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and predict\$5 and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)near10 (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and collect\$5) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)near10 (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)same (survey or collect\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:18
----	---	---	---	---------------------

25	6	(database or files or flash near4 (memory or shar\$3))and (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and predict\$5 and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)same (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)same (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)same (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)near10 (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)and collect\$5) and ((database or files or flash near4 (memory or shar\$3))same (map\$5 or model\$4 or simulat\$5)near10 (visuali\$7 or display)near10 (predict\$5 or model\$4 or simulat\$5)near10 (measur\$6 or perform\$4 or quality or metrics or bit adj rate or error near3 rate)same (survey or collect\$5)) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:23
26	15	"5553620"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:23
27	9	"5482050"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:23
28	3	"6285377"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:24

29	17	"5953009"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:24
30	3	"6326987"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:24
31	40	"5553620" or "5482050" or "6285377" or "5953009" or "6326987"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:24
32	39	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:25
33	5	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8) same (database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:25
34	6	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8) same (database or model\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:25
35	16	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8) same (database or model\$4 or map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:25
36	5	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8) same (model\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:25
37	13	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8) same (map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:26
38	1	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8) same (simulat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:26
39	16	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8) same (database or file\$1 or memory near4 (flash or shar\$3)) and (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:27
40	16	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8) same (database or file\$1 or memory near4 (flash or shar\$3)) and (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:28
41	14	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8) same (database or file\$1 or memory near4 (flash or shar\$3)) and (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5) same (measur\$7 or metrics or quality or perform\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:28

43	33369	(display or visula\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) and (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)same (measur\$7 or metrics or quality or perform\$5 or error near4 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:30
44	5923	(display or visula\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) same (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)same (measur\$7 or metrics or quality or perform\$5 or error near4 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:30
45	2609	(display or visula\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) near10 (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)same (measur\$7 or metrics or quality or perform\$5 or error near4 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:30
46	898	(display or visula\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) near10 (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)near10 (measur\$7 or metrics or quality or perform\$5 or error near4 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:31
47	189	(display or visula\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) near10 (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)near10 (measur\$7 or metrics or quality or perform\$5 or error near4 rate)and (location)same ((display or visula\$8)same (database or file\$1 or memory near4 (flash or shar\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:32
48	231	(display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) near10 (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)near10 (measur\$7 or metrics or quality or perform\$5 or error near4 rate)and (location)same ((display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:33
49	66	(display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) near10 (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)near10 (measur\$7 or metrics or quality or perform\$5 or error near4 rate)and (location)near15 ((display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:33
51	1	(display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) near10 (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)near10 (measur\$7 or metrics or quality or perform\$5 or error near4 rate)and (location)near10 ((display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)))and ("5553620" or "5482050" or "6285377" or "5953009" or "6326987")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:34
50	44	(display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) near10 (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)near10 (measur\$7 or metrics or quality or perform\$5 or error near4 rate)and (location)near10 ((display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:56

52	4	(display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) near10 (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)near10 (measur\$7 or metrics or quality or perform\$5 or error near4 rate)and (location)near10 ((display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)))and rappaport	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:35
53	43	(display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) near10 (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)near10 (measur\$7 or metrics or quality or perform\$5 or error near4 rate)and (location)near10 ((display or visual\$8)same (database or file\$1 or memory near4 (flash or shar\$3))) and (select\$5 or extract\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 13:57
42	14	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) and (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)same (measur\$7 or metrics or quality or perform\$5 or error near4 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:16
54	3	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) and (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)same (measur\$7 or metrics or quality or perform\$5 or error near4 rate)and file near4 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:18
55	3	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) and (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)same (measur\$7 or metrics or quality or perform\$5 or error near4 rate)and file near4 configuration and (lists or files or graphic\$4 or object\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:19
56	3	("5553620" or "5482050" or "6285377" or "5953009" or "6326987") and (display or visula\$8)same (database or file\$1 or memory near4 (flash or shar\$3)) and (collect\$5 or analy\$5 or simulat\$5 or model\$4 or map\$4 or predict\$5)same (measur\$7 or metrics or quality or perform\$5 or error near4 rate)and file near4 configuration and (text\$5 or lists or files or graphic\$4 or object\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:19